








© SOLUCE BURO





The simple design of **MOV'IN36** will give you a steady start in the world of mobile stage structures.

Easy to mount in its manual or electric version, it will provide a **36 m²** stage for small festivals, shows, public or private events, etc., without blushing.

Ideal

as a

first buv

In three words: quick, simple and reliable.

A STRUCTURE PROVIDING OPTIMUM ATTACHMENT CAPACITY.

Due to the "roof" design employing tubes, stairs and cross-pieces made of aluminium 6060T6, along with fitted corner posts, the attachment capacity will allow you to equip your stage depending upon your operating needs. .. All this, up to **2 680 kg**!

Additionally, to bring you MORE solutions, we offer 8 to 11 attachment points distributed across the roof.

Our MOV'IN36, MOV'IN48, MOV'IN60 and MOV'IN stages in **VERSION +,** are the highest-performance stages on the market.



> A SIMPLE DESIGN TO SERVE YOUR IDEAS.

Built on a lightweight road chassis, our **MOV'IN36** to **MOV'IN60** trailers are designed for a quick, efficient and safe assembly.

You will save 75% to 90% of the time compared to a regular stage.

Our stages are 100% "reversible".

MOV'IN36 is a "small" compact stage, the best equipped and the quickest to use on the market.

A few words on our industry

Entertainment-oriented trademark of GUILLET SAS (Ltd.), mobile stage manufacturer since 1994, our *savoir-faire* never ceased to expand, providing clients with ever more guarantees and follow-up. With our labels and certificates of excellence, our industry today can assure you that you have chosen the best partner for your shows by delivering a rigorous, high-quality product.

Our company is ISO 9001, ISO3834-2 and EN1090-certified. This enables us to obtain authorisations for our mobile stages. By incorporating all skills into our factories, we can guarantee a high-quality product, full traceability for all elements, and provide you with complete satisfaction. We have European authorisation.

www.movingstage.fr guillet groupe

MADEINERANCE

contact@movingstage.fr

+33 (0)3 88 48 21 80

2 Rue Jean Bugatti 67120 Duppigheim FRANCE

MOVING STAGE is a Guillet SAS (Ltd.) trademark





30'

ECONOMIC LIGHTWEIGHT

MOBILE STAGE

Ideal as a first buy MADE IN FRANCE

Trailer					
Length with adjustable drawbar		9,4 m			
Width	2,47 m	Height	3,6 m		
Weight		2,8 T			
Signals		EC standard LED			
Number of axles		2 central			
Load per axle		1.750 Kg			
Gross combined weight rating		3.5 T			
Key box across the chassis					

1 to 2

3/4 m

36 m²

	ALL OUR MOBILE STAGE ARE CERTIFIED	2007/-	46/CE	
				3,6 m
	0		0	La construction de la constructi
	9,4 m			
Witl	h adjustable height dra	wbar		

Wind-resistant					
Without lateral ta	rpaulin	100 Km/h			
Lateral + back stage tarpaulin		54 Km/h			
Safety	Our tarpaulins use a technology enabling them to quickly fall in the event of a strong wind > 72 Km/h.				



www.movingstage.fr

contact@movingstage.fr

+33 (0)3 88 48 21 80

2 Rue Jean Bugatti 67120 Duppigheim FRANCE

11001	
Length x width	6 x 6 m
Floor height above the ground	0.9 m with included shimming
Resistance	350 Kg / m ² - 500 Kg / m ²
Surface area	36 m ²
Туре	15 mm thick plywood consisting of 11-ply 100% birchwood 1 smooth side / 1 non-slip side
Safety	Guardrail on 3 sides

Roof	
Clearance	4 m
Back post	3 m
Roof load capacity	up to 1.480 Kg
Line array load capacity	up to 560 Kg per side
Tarpaulin	680g/m ² +/-10% - Class M2

DISCOVER ALL THE OPTIONS PAGE 03





GAMME 36 À 60 M²

TRAILER ^O **STRUCTURE**

STANDARD S OPTION NOT COMPATIBLE	-			
Mobile stage MOV'IN	36	48	48+	60
Painted chassis (trailer)	S	S	S	s
Adjustable drawbar	S	S	S	S
Jockey Wheel	S	S	S	s
Dual braked axle	S	S	S	S
Marker light (Led)	S	S	S	s
13 pins electrical connexion	S	S	S	S
7 pins adapter	•		•	
Spare wheel	S	S	S	s
Storage Compartment	S	S	S	s
Double deck hydraulic cylinder	-	-	S	-
Manual cylinder	S	S	-	s
Telescopic column	S	S	-	s
Hydraulic column	-	-	s	_
Security bar	S	S	S	S
Gas spring for roof deployment	S	s	S	s
Manual hoist	S	S	-	s
Electrical hoist	•		-	
Hydraulic distributor	-	-	S	-
Central Roof in aluminium 6060 structure	S	S	S	s
Side floor in aluminium 6060 structure	S	S	S	S
Side wing in aluminium 6060 structure	S	s	S	s
Under flooring structure (basement) in steel	S	S	S	S
Woodfloor in 15mn Plywood	S	s	S	s
Wheel protection	S	S	S	s
Anti-cyclist protection	S	s	S	s
	•	-	-	-

60+ S S S S S S S S S _ -S S S _ _ S S S S S S S S

EQUIPMENT

Mobile stage MOV'IN	36	48	48+	60	60+
Tool box	S	S	S	S	S
Floor Anti-lift bar	S	S	S	S	S
Corner post - Tube Ø50 mm - Lg 3m	s	s	-	s	-
Corner post - Tube Ø50 mm - Lg 4m	S	S	S	S	S
Corner post - Tube Ø50 mm - Lg 5m	-	-	s	-	S
Connexion piece for 300 Triangular Truss corner post			S		S
Connexion piece for 300 Square Truss corner post	•	•			
Rectangular Guardrail (3 sides)	s	s	S	S	S
Bars Guardrail	•	•			
Staircase 4 step (900-1100 mm)	s	s		S	
Staircase 6 step (1000-1600)	-	-	s	-	S
Product name (MOV'IN + LOGO)	S	S	S	S	S
Complet Set of tarpaulin	s	s	S	S	S

GAMME 36 À 60 M²

ACCESORIES

STANDARD S OPTION NOT COMPATIBLE -

Mobile stage MOV'IN	36	48	48+	60	60+
Fiber finishing on central roof & side wing		•		•	
Backstage tarpaulin micro-perforated 30%					
Personal LOGO					
Inside light (LED)					
Anemometer		•	•	•	
Connexion piece for 300 Triangular TRUSS LIne array	S	s	S	s	s
Connexion piece for 300 Square Truss Line array		•		•	
300 Triangular Truss for Corner post - Lg 5m	-	_		_	
300 Square Truss for Corner post - Lg 5m	-	_	•	_	
Complete gantry in 300 Triangular Truss (incl connexion piece)					
Complete gantry in 300 Square Truss (incl connexion piece)		•	•	•	
Central beam in 300 Square Truss including 2 sliding trolleys					
Mast for levelling up side wing		•	s	•	s
Connexion peace adapted to 300 triangular structure from client					
Connexion peace adapted to 300 square structure from client					



www.movingstage.fr guillet groupe

contact@movingstage.fr

+33 (0)3 88 48 21 80

2 Rue Jean Bugatti 67120 Duppigheim FRANCE

MOVING STAGE est une marque déposée par Guillet SAS